ARTHAM
RESOURCE MATERIAL

SOE
SCHOOL OF EDUCATORS
Learn / Unlearn / Relearn

COMPETENCY-BASED

QUESTION BANK

WITH ANSWER KEY

& STRUCTURED EXPLANATION

CLASS 11

MATHEMATICS

FEATURES

1 Comprehensive Coverage
Includes detailed question banks for Class 11 & 12 subjects PCMB

2 Skill-based Learning
Develops critical thinking and problem-solving skills essential for cracking tough exams.

3 Score Boosting
Helps to score maximum marks in CBSE exams and increases competitive exam success potential..

4 Answer Key & Structured Explanations
Clear, well-structured explanations and step-by-step solutions to enhance understanding.

5 Exam Pattern Aligned
Questions modeled after the latest exam patterns to ensure students are well-prepared.

6 Competitive Exam Focus
Specially designed to help students excel in IIT, NEET, JEE, CUET, and other competitive exams.

7 NCERT Integration
Questions and answers are based on the NCERT syllabus, ensuring relevance for both CBSE board exams and entrance tests.

SETS

1. Let R_1 be a relation defined by
$R_1 = \{(a, b)|a \geq b, a, b \in R\}$. Then, R_1 is
a) An equivalence relation on R
b) Reflexive, transitive but not symmetric
c) Symmetric, transitive but not reflexive
d) Neither transitive not reflexive but symmetric

2. On the set of human beings a relation R is defined as follows:
"aRbiff$a$ and b have the same brother". Then R is
a) Only reflexive b) Only symmetric c) Only transitive d) Equivalence

3. In a class of 35 students, 17 have taken Mathematics, 10 have taken Mathematics but not Economics. If each student has taken either Mathematics or Economics or both, then the number of students who have taken Economics but not Mathematics is
a) 7 b) 25 c) 18 d) 32

4. $\{n(n+1)(2n+1): n \in Z\} \subset$
a) $\{6k : k \in Z\}$ b) $\{12k : k \in Z\}$ c) $\{18k : k \in Z\}$ d) $\{24k : k \in Z\}$

5. If $A = \{1, 2, 3, 4, 5\}, B = \{2, 4, 6\}, C = \{3, 4, 6\}$, then $(A \cup B) \cap C$ is
a) $\{3, 4, 6\}$ b) $\{1, 2, 3\}$ c) $\{1, 4, 3\}$ d) None of these

6. Let A be the set of all students in a school. A relation R is defined on A as follows:
"aRb iff a and b have the same teacher"
a) Reflexive b) Symmetric c) Transitive d) Equivalence

7. If P is the set of all parallelograms, and T is the set of all trapeziums, then $P \cap T$ is
a) P b) T c) ϕ d) None of these

8. A and B are any two non-empty sets and A is proper subset of B. If $n(A) = 5$, then find the minimum possible value of $n(A \Delta B)$
a) Is 1
b) Is 5
c) Cannot be determined
d) None of these

9. If $n(A) = 4, n(B) = 3, n(A \times B \times C) = 240$, then $n(C)$ is equal to
a) 288 b) 1 c) 12 d) 2

10. In a class, 70 students wrote two tests viz;test-I and test-II. 50% of the students failed in test-I and 40% of the students in test-II. How many students passed in both tests?
a) 21 b) 7 c) 28 d) 14

11. Let Z denote the set of all integers and $A = \{(a, b): a^2 + 3b^2 = 28, \quad a, b \in Z\}$and $B = \{(a, b): a > b, a, b \in Z\}$. Then, the number of elements in $A \cap B$ is
a) 2 b) 3 c) 4 d) 6

12. Let L be the set of all straight lines in the Euclidean plane. Two lines l_1 and l_2 are said to be related by the relation R iff l_1 is parallel to l_2. Then, the relation R is not
a) Reflexive b) Symmetric c) Transitive d) None of these

13. Let R be a relation on the set N be defined by $\{(x, y)|x, y \in N, 2\,x + y = 41\}$. Then, R is
a) Reflexive b) Symmetric c) Transitive d) None of these

14. In an office, every employee likes at least one of tea, coffee and milk. The number of employees who like only tea, only coffee, only milk and all the three are all equal. The number of employees who like only tea and coffee, only coffee and milk and only tea and milk are equal and each is equal to the number of employees who like all the three. Then a possible value of the number of employees in the office is
a) 65 b) 90 c) 77 d) 85

15. Which of the following cannot be the number of elements in the power set of any finite set?
a) 26 b) 32 c) 8 d) 16

16. The relation 'is subset of' on the power set $P(A)$ of a set A is

a) Symmetric b) Anti-symmetric c) Equivalence relation d) None of these

17. Let A and B be two non-empty subsets of a set X such that A is not a subset of B. Then,

a) A is a subset of complement of B

b) B is a subset of A

c) $A$and B are disjoint

d) A and the complement of B are non-disjoint

18. If A, B and C are three sets such that $A \supset B \supset C$, then $(A \cup B \cup C) - (A \cap B \cap C) =$

a) $A - B$ b) $B - C$ c) $A - C$ d) None of these

19. A survey shows that 63% of the Americans like cheese whereas 76% like apples. If x% of the Americans like both cheese and apples, then

a) $x = 39$ b) $x = 63$ c) $39 \leq x \leq 63$ d) None of these

20. If $X = \{4^n - 3n - 1 : n \in N\}$ and $Y = \{9(n-1): n \in N\}$, then $X \cup Y$ is equal to

a) X b) Y c) N d) None of these

21. Let $A = \{x: x \text{ is a multiple of } 3\}$and $B = \{x: x \text{ is a multiple of } 5\}$. Then, $A \cap B$is given by

a) {3, 6, 9, ……} b) {5, 10, 15, 20, …….} c) {15, 30, 45, ……} d) None of these

22. If $n(A \times B) = 45$, then $n(A)$ cannot be

a) 15 b) 17 c) 5 d) 9

23. In order that a relation R defined on a non-empty set A is an equivalence relation, it is sufficient, if R

a) Is reflective

b) Is symmetric

c) Is transitive

d) Possesses all the above three properties

24. For real numbers x and y, we write $x\,Ry \Leftrightarrow x - y + \sqrt{2}$ is an irrational number. Then, the relation R is

a) Reflexive b) Symmetric c) Transitive d) None of these

25. In a class of 45 students, 22 can speak Hindi and 12 can speak English only. The number of students, who can speak both Hindi and English, is

a) 9 b) 11 c) 23 d) 17

26. A, B and C are three non-empty sets. If $A \subset B$ and $B \subset C$, then which of the following is true?

a) $B - A = C - B$ b) $A \cap B \cap C = B$ c) $A \cup B = B \cap C$ d) $A \cup B \cup C = A$

27. $\left\{x \in R: \frac{2x-1}{x^3+4x^2+3x} \in R\right\}$equals

a) $R - \{0\}$ b) $R - \{0, 1, 3\}$ c) $R - \{0, -1, -3\}$ d) $R - \left\{0, -1, -3, +\frac{1}{2}\right\}$

28. If R is a relation from a finite set A having m elements to a finite set B having n elements, then the number of relations from A to B is

a) 2^{mn} b) $2^{mn} - 1$ c) $2mn$ d) m^n

29. If $A = \{(x, y): y^2 = x; x, y \in R\}$ and
$B = \{(x, y): y = |x|; x, y \in R\}$, then

a) $A \cap B = \phi$

b) $A \cap B$ is a singleton set

c) $A \cap B$ contains two elements only

d) $A \cap B$ contains three elements only

30. Which of the following is an equivalence relation?

a) Is father of b) Is less than c) Is congruent to d) Is an uncle of

31. From 50 students taking examinations in Mathematics, Physics and Chemistry, 37 passed Mathematics, 24 Physics and 43 Chemistry. At most 19 passed Mathematics and Physics, at most 29 passed Mathematics and Chemistry and at most 20 passed Physics and Chemistry. The largest possible number that could have passed all three examinations is

a) 11 b) 12 c) 13 d) 14

32. Let A be the non-void set of the children in a family. The relation $'x$ is a brother of y' on A is

a) Reflexive b) Symmetric c) Transitive d) None of these

33. In a class of 30 pupils 12 take needls work, 16 take physics and 18 take history. If all the 30 students take at least one subject and no one takes all three, then the number of pupils taking 2 subjects is
a) 16 b) 6 c) 8 d) 20
34. If R is a relation on a finite set having n elements, then the number of relations on A is
a) 2^n b) 2^{n^2} c) n^2 d) n^n
35. The void relation on a set A is
a) Reflexive
b) Symmetric and transitive
c) Reflexive and symmetric
d) Reflexive and transitive
36. Suppose $A_1, A_2, \dots, A_{30}$ are thirty sets, each having 5 elements and $B_1, B_2, \dots, B_n$ are n sets each with 3 elements, let
$\bigcup_{i=1}^{30} A_i = \bigcup_{j=1}^{n} B_j = S$ and each element of S belongs to exactly 10 of the A_i's and exactly 9 of the B_j's. Then, n is equal to
a) 115 b) 83 c) 45 d) None of these
37. If A is a finite set having n elements, then $P(A)$ has
a) $2n$ elements b) 2^n elements c) n elements d) None of these
38. Let A and B have 3 and 6 elements respectively. What can be the minimum number of elements in $A \cup B$?
a) 3 b) 6 c) 9 d) 18
39. Let R be a reflexive relation on a set A and I be the identity relation on A. Then,
a) $R \subset I$ b) $I \subset R$ c) $R = I$ d) None of these
40. If $A_1, A_2, \dots, A_{100}$ are sets such that $n(A_i) = i + 2, A_1 \subset A_2 \subset A_3 \dots \subset A_{100}$ and $\bigcap_{i=3}^{100} A_i = A$, then $n(A) =$
a) 3 b) 4 c) 5 d) 6
41. If A and B are two given sets, then $A \cap (A \cap B)^c$ is equal to
a) A b) B c) Φ d) $A \cap B^c$
42. If a set has 13 elements and R is a reflexive relation on A with n elements, then
a) $13 \le n \le 26$ b) $0 \le n \le 26$ c) $13 \le n \le 169$ d) $0 \le n \le 169$
43. Let X be the set of all engineering colleges in a state of Indian Republic and R be a relation on X defined as two colleges are related iff they are affiliated to the same university, then R is
a) Only reflexive b) Only symmetric c) Only transitive d) Equivalence
44. In the above question, the number of families which buy none of A, B and C is
a) 4000 b) 3300 c) 4200 d) 5000
45. If A and B are two sets, then $A \cap (A \cup B)$ equals
a) A b) B c) ϕ d) None of these
46. If $A = \{1,3,5,7,9,11,13,15,17\}, B = \{2,4 \dots, 18\}$ and N is the universal set, then $A' \cup ((A \cup B) \cap B')$ is
a) A b) N c) B d) none of these
47. If $A = \{\phi, \{\phi\}\}$, then the power set of A is
a) A b) $\{\phi, \{\phi\}, A\}$ c) $\{\phi, \{\phi\}, \{\{\phi\}\}, A\}$ d) None of these
48. Let $A = \{(x, y): y = e^x, x \in R\}$,
$B = \{(x, y): y = e^{-x}, x \in R\}$. Then,
a) $A \cap B = \phi$ b) $A \cap B \neq \phi$ c) $A \cup B = R^2$ d) None of these
49. Let L denote the set of all straight lines in a plane. Let a relation R be defined by $\alpha \, R \, \beta \Leftrightarrow \alpha \perp \beta, \alpha, \beta \in L$. Then R is
a) Reflexive b) Symmetric c) Transitive d) None of these
50. If A, B and C are three sets such that $A \cap B = A \cap C$and $A \cup B = A \cup C$, then
a) $A = C$ b) $B = C$ c) $A \cap B = \phi$ d) $A = B$
51. Let $S = \{1, 2, 3, 4\}$. The total number of unordered pairs of disjoint subsets of S is equal to
a) 25 b) 34 c) 42 d) 41
52. If $A = \{(x, y): x^2 + y^2 = 4;\ x, y \in R\}$ and

$B = \{(x, y): x^2 + y^2 = 9; x, y \in R\}$, then

a) $A - B = \phi$ b) $B - A = B$ c) $A \cap B \neq \phi$ d) $A \cap B = A$

53. Let $n(\mathcal{U}) = 700, n(A) = 200, n(B) = 300$ and $n(A \cap B) = 100$. Then, $n(A^c \cap B^c) =$

a) 400 b) 600 c) 300 d) 200

54. If $A = \left\{\theta : \cos\theta > -\frac{1}{2}, 0 \leq \theta \leq \pi\right\}$ and

$B = \left\{\theta : \sin\theta > \frac{1}{2}, \frac{\pi}{3} \leq \theta \leq \pi\right\}$, then

a) $A \cap B = \{\theta : \pi/3 \leq \theta \leq 2\pi/3\}$

b) $A \cap B = \{\theta : -\pi/3 \leq \theta \leq 2\pi/3\}$

c) $A \cup B = \{\theta: -5\pi/6 \leq \theta \leq 5\pi/6\}$

d) $A \cup B = \{\theta : 0 \leq \theta \leq \pi/6\}$

55. In a set of ants in a locality, two ants are said to be related iff they walk on a same straight line, then the relation is

a) Reflexive and symmetric

b) Symmetric and transitive

c) Reflexive and transitive

d) Equivalence

56. If $A = \{1, 2, 3\}, B = \{a, b\}$, then $A \times B$ mapped A to $B$is

a) $\{(1, a), (2, b), (3, b)\}$ b) $\{(1, b), (2, a)\}$

c) $\{(1, a), (1, b), (2, a), (2, b), (3, a), (3, b)\}$ d) $\{(1, a), (2, a), (2, b), (3, b)\}$

57. If A_n is the set of first n prime numbers, then$\bigcup_{n=2}^{10} A_n =$

a) $\{2,3,5,7,11,13,17,19\}$ b) $\{2,3,5,7,11,13,17,19,23,$¿c) $\{3,5\}$ d) $\{2,3\}$

58. If $A = \{4, 6, 10, 12\}$ and R is a relation defined on A as "two elements are related iff they have exactly one common factor other than 1". Then the relation R is

a) Antisymmetric b) Only transitive c) Only symmetric d) Equivalence

59. If R is a relation from a set A to a set B and S is a relation from B to a set C, then the relation SoR

a) Is from A to C b) Is from C to A c) Does not exist d) None of these

60. Let n be a fixed positive integer. Define a relation R on the set Z of integers by, $a\ R\ b \Leftrightarrow n \mid a - b$. Then, R is not

a) Reflexive b) Symmetric c) Transitive d) None of these

61. If $n(A_i) = i + 1$ and $A_1 \subset A_2 \subset A_3 \subset \cdots \subset A_{99}$, then $n\left(\bigcup_{i=1}^{99} A_i\right) =$

a) 99 b) 98 c) 100 d) 101

62. Two finite sets have m and n elements. The total number of subsets of the first set is 56 more than the total number of subsets of the second set. The values of m and n are

a) $m = 7, n = 6$ b) $m = 6, n = 3$ c) $m = 5, n = 1$ d) $m = 8, n = 7$

63. Let A be the set of all animals. A relation R is defined as "aRb iff a and b are in different zoological parks". Then R is

a) Only reflexive b) Only symmetric c) Only transitive d) Equivalence

64. Let X and Y be the sets of all positive divisors of 400 and 1000 respectively (including 1 and the number). Then, $n(X \cap Y)$ is equal to

a) 4 b) 6 c) 8 d) 12

65. Let R be a relation from a set A to a set B, then

a) $R = A \cup B$ b) $R = A \cap B$ c) $R \subseteq A \times B$ d) $R \subseteq B \times A$

66. If X and Y are two sets, then $X \cap (Y \cup X)'$ equals

a) X b) Y c) ϕ d) None of these

67. If $A = \{1, 2, 3, 4, 5, 6\}$, then how many subsets of A contain the elements 2, 3 and 5?

a) 4 b) 8 c) 16 d) 32

68. For any three sets A_1, A_2, A_3, let $B_1 = A_1, B_2 = A_2 - A_1$ and $B_3 = A_3 - (A_1 \cup A_2)$, then which one of the following statement is always true

a) $A_1 \cup A_2 \cup A_3 \supset B_1 \cup B_2 \cup B_3$

b) $A_1 \cup A_2 \cup A_3 = B_1 \cup B_2 \cup B_3$
c) $A_1 \cup A_2 \cup A_3 \subset B_1 \cup B_2 \cup B_3$
d) None of these

69. If A is a non-empty set, then which of the following is false?
p : There is at least one reflexive relation on A
q : There is at least one symmetric relation on A
a) p alone b) q alone c) Both p and q d) Neither p nor q

70. In an election, two contestants A and B contested $x\%$ of the total voters voted for A and $(x+20)\%$ for B. If 20% of the voters did not vote, then $x =$
a) 30 b) 25 c) 40 d) 35

71. Let $A = \{1,2,3,4\}$, and let $R = \{(2,2),(3,3),(4,4),(1,2)\}$ be a relation on A. Then, R is
a) Reflexive b) Symmetric c) Transitive d) None of these

72. In a rehabilitation programme, a group of 50 families were assured new houses and compensation by the government. Number of families who got both is equal to the number of families who got neither of the two. The number of families who got new houses is 6 greater than the number of families who got compensation. How many families got houses?
a) 22 b) 28 c) 23 d) 25

73. Let $\mathcal{U}$ be the universal set for sets A and B such that $n(A) = 200, n(B) = 300$ and $n(A \cap B) = 100$. Then, $n(A' \cap B')$ is equal to 300, provided that $n(\mathcal{U})$ is equal to
a) 600 b) 700 c) 800 d) 900

74. An integer m is said to be related to another integer n if m is a multiple of n. Then, the relation is
a) Reflexive and symmetric
b) Reflexive and transitive
c) Symmetric and transitive
d) Equivalence relation

75. Three sets A, B, C are such that $A = B \cap C$ and $B = C \cap A$, then
a) $A \subset B$ b) $A \supset B$ c) $A \equiv B$ d) $A \subset B'$

76. Let R be a relation on the set N of natural numbers defined by $nRm \Leftrightarrow n$ is a factor of m(i. e. $n \mid m$). Then, R is
a) Reflexive and symmetric
b) Transitive and symmetric
c) Equivalence
d) Reflexive, transitive but not symmetric

77. If $a\,N = \{a\,x : x \in N\}$ and $b\,N \cap c\,N = d\,N$, where $b, c \in N$ are relatively prime, then
a) $d = bc$ b) $c = bd$ c) $b = cd$ d) None of these

78. In rule method the null set is represented by
a) { } b) Φ c) $\{x : x \neq x\}$ d) $\{x : x = x\}$

79. Let A be a set represented by the squares of natural number and x, y are any two elements of A. Then,
a) $x - y \in A$ b) $xy \in A$ c) $x + y \in A$ d) $\frac{x}{y} \in A$

80. Let $A_1, A_2, A_3 \dots, A_{100}$ be 100 sets such that $n(A_i) = i + 1$ and $A_1 \subset A_2 \subset A_3 \subset \dots \subset A_{100}$, then $\bigcup_{i=1}^{100} A_i$ contains… elements
a) 99 b) 100 c) 101 d) 102

81. In a certain town 25% families own a cell phone, 15% families own a scooter and 65% families own neither a cell phone nor a scooter. If 1500 families own both a cell phone and a scooter, then the total number of families in the town is
a) 10000 b) 20000 c) 30000 d) 40000

82. If A, B and C are three non-empty sets such that any two of them are disjoint, then $(A \cup B \cup C) \cap (A \cap B \cap C) =$
a) A b) B c) C d) ϕ

83. If $R = \{(a,b): a + b = 4\}$ is a relation on N, then R is

a) Reflexive b) Symmetric c) Antisymmetric d) Transitive

84. The shaded region in the figure represents



a) $A \cap B$ b) $A \cup B$ c) $B - A$ d) $(A - B) \cup (B - A)$

85. Let $X = \{1, 2, 3, 4, 5\}$ and $Y = \{1, 3, 5, 7, 9\}$. Which of the following is/are not relations from $X$to Y?

a) $R_1 = \{(x, y)|y = 2 + x, x \in X, y \in Y\}$

b) $R_2 = \{(1,1), (2,1), (3,3), (4,3), (5,5)\}$

c) $R_3 = \{(1,1), (1,3), (3,5), (3,7), (5,7)\}$

d) $R_4 = \{(1,3), (2,5), (2,4), (7,9)\}$

86. Given the relation $R = \{(1,2), (2,3)\}$ on the set $A = \{1,2,3\}$, the minimum number of ordered pairs which when added to R make it an equivalence relation is

a) 5 b) 6 c) 7 d) 8

87. If sets A and B are defined as

$A = \left\{(x, y): y = \frac{1}{x}, 0 \neq x \in R\right\}$,

$B = \{(x, y): y = -x, x \in R\}$, then

a) $A \cap B = A$ b) $A \cap B = B$ c) $A \cap B = \phi$ d) None of these

88. Let R be an equivalence relation on a finite set A having n elements. Then, the number of ordered pairs in R is

a) Less than n

b) Greater than or equal to n

c) Less than or equal to n

d) None of these

89. If $A_1 \subset A_2 \subset A_3 \subset \cdots \subset A_{50}$ and $n(A_i) = i - 1$, then $n\left(\bigcap_{i=11}^{50} A_i\right) =$

a) 49 b) 50 c) 11 d) 10

90. If $a\ N = \{a\ x : x \in N\}$ and $b\ N \cap c\ N = d\ N$, where $b, c \in N$ then

a) $d = bc$ b) $c = bd$ c) $b = cd$ d) None of these

91. X is the set of all residents in a colony and R is a relation defined on X as follows:

"Two persons are related iff they speak the same language"

The relation R is

a) Only symmetric

b) Only reflexive

c) Both symmetric and reflexive but not transitive

d) Equivalence

92. If S is a set with 10 elements and $A = \{(x, y): x, y \in S, x \neq y\}$, then the number of elements in A is

a) 100 b) 90 c) 50 d) 45

93. Let $A = \{\text{ONGC}, \text{BHEL}, \text{SAIL}, \text{GAIL}, \text{IOCL}\}$ and R be a relation defined as "two elements of A are related if they share exactly one letter". The relation R is

a) Anti-symmetric b) Only transitive c) Only symmetric d) Equivalence

94. The finite sets A and B have m and n elements respectively. if the total number of subsets of A is 112 more than the total number of subsets of B, then the volume of m is

a) 7 b) 9 c) 10 d) 12

95. Let $R = \{(a, a)\}$ be a relation on a set A. Then, R is

a) Symmetric

b) Antisymmetric

c) Symmetric and antisymmetric

d) Neither symmetric nor antisymmetric

96. If $A = \{p : p = \frac{(n+2)(2n^5+3n^4+4n^3+5n^2+6)}{n^2+2n}, n, p \in Z^+\}$ then the number of elements in the set A, is

a) 2 b) 3 c) 4 d) 6

97. If $A = \{x : x$ is a multiple of 3$\}$ and,
$B = \{x : x$ is a multiple of 5$\}$, then $A - B$ is

a) $\bar{A} \cap B$ b) $A \cap \bar{B}$ c) $\bar{A} \cap \bar{B}$ d) $\overline{A \cap B}$

98. An investigator interviewed 100 students to determine the performance of three drinks milk, coffee and tea. The investigator reported that 10 students take all three drinks milk, coffee and tea; 20 students take milk and coffee, 30 students take coffee and tea, 25 students take mile and tea, 12 students take milk only, 5 students take coffee only and 8 students take tea only. Then, the number of students who did not take any of the three drinks, is

a) 10 b) 20 c) 25 d) 30

99. Consider the following statements:
(i) Every reflexive relation is antisymmetric
(ii) Every symmetric relation is antisymmetric
Which one among (i) and (ii) is true?

a) (i) alone is true
b) (ii) alone is true
c) Both (i) and (ii) true
d) Neither (i) and (ii) is true

100. Given $n(U) = 20, n(A) = 12, n(B) = 9, n(A \cap B) = 4$, where U is the universal set, A and B are subsets of U, then $n[(A \cup B)^c]$ equals to

a) 10 b) 9 c) 11 d) 3

101. Let Z denote the set of integers, then
$\{x \in Z: |x - 3| < 4\} n \{x \in Z: |x - 4| < 5\} =$

a) $\{-1,0,1,2,3,4\}$ b) $\{-1,0,1,2,3,4,5\}$ c) $\{0,1,2,3,4,5,6\}$ d) $\{-1,0,1,2,3,5,6,7,8,9\}$

102. Let R be a reflexive relation on a finite set A having n elements, and let there be m ordered pairs in R. Then,

a) $m \geq n$ b) $m \leq n$ c) $m = n$ d) None of these

103. Let $A = \{1, 2, 3\}, B = \{3, 4\}, C = \{4, 5, 6\}$. Then, $A \cup (B \cap C)$ is

a) $\{3\}$ b) $\{1, 2, 3, 4\}$ c) $\{1, 2, 5, 6\}$ d) $\{1, 2, 3, 4, 5, 6\}$

104. If $A = \left\{(x, y) : y = \frac{4}{x}, x \neq 0\right\}$ and
$B = \{(x, y): x^2 + y^2 = 8, x, y \in R\}$, then

a) $A \cap B = \phi$
b) $A \cap B$ contains one point only
c) $A \cap B$ contains two points only
d) $A \cap B$ contains 4 points only

105. If $R = \{(a, b): |a + b| = a + b\}$ is a relation defined on a set $\{-1, 0, 1\}$, then R is

a) Reflexive b) Symmetric c) Anti symmetric d) Transitive

106. If $n(A \cap B) = 5, n(A \cap C) = 7$ and $n(A \cap B \cap C) = 3$, then the minimum possible value of $n(B \cap C)$ is

a) 0 b) 1 c) 3 d) 2

107. The relation $R = \{(1,3), (3,5)\}$ is defined on the set with minimum number of elements of natural numbers. The minimum number of elements to be included in R so that R is an equivalence relation, is

a) 5 b) 6 c) 7 d) 8

108. If $A = \{1, 2, 3\}$, then the relation $R = \{(1,1), (2,2), (3,1), (1,3)\}$ is

a) Reflexive b) Symmetric c) Transitive d) Equivalence

109. Let R be a relation on a set A such that $R = R^{-1}$, then R is

a) Reflexive b) Symmetric c) Transitive d) None of these

110. In Q.No. 6, $\cap_{n=3}^{10} A_n =$

a) $\{3,5,7,11,13,17,19\}$ b) $\{2,3,5\}$ c) $\{2,3,5,7,11,13,17\}$ d) $\{3,5,7\}$

111. The number of elements in the set $\{(a, b): 2a^2 + 3b^2 = 35, a, b \in Z\}$, where Z is the set of all integers, is

a) 2 b) 4 c) 8 d) 12

112. If $A = \{a, b, c\}, B = \{b, c, d\}$ and $C = \{a, d, c\}$, then $(A - B) \times (B \cap C)$ is equal to

a) $\{(a, c), (a, d)\}$ b) $\{(a, b), (c, d)\}$ c) $\{(c, a), (d, a)\}$ d) $\{(a, c), (a, d), (b, d)\}$

113. A class has 175 students. The following data shows the number of students opting one or more subjects. Mathematics 100; Physics 70; Chemistry 40; Mathematics and Physics 30; Mathematics and Chemistry 28; Physics and Chemistry 23; Mathematics, Physics and Chemistry 18. Hoe many students have offered Mathematics alone?

a) 35 b) 48 c) 60 d) 22

114. If $A = \{1, 2, 3\}, B\{3, 4\}, C\{4, 5, 6\}$. Then, $A \cup (B \cap C)$ is

a) $\{1, 2\}$ b) $\{\phi\}$ c) $\{4, 5\}$ d) $\{1, 2, 3, 4\}$

115. If $A \subseteq B$, then $B \cup A$ is equal to

a) $B \cap A$ b) A c) B d) None of these

116. If $n(u) = 100, n(A) = 50, n(B) = 20$ and $n(A \cap B) = 10$, then $n\{(A \cup B)^c\}$

a) 60 b) 30 c) 40 d) 20

117. If A is a non-empty set, then which of the following is false?

p : Every reflexive relation is a symmetric relation

q : Every antisymmetric relation is reflexive

Which of the following is/are true?

a) p alone b) q alone c) Both p and q d) Neither p nor q

118. Two points P and Q in a plane are related if $OP = OQ$, where O is a fixed point. This relation is

a) Partial order relation

b) Equivalence relation

c) Reflexive but not symmetric

d) Reflexive but not transitive

119. In a city 20% of the population travels by car, 50% travels by bus and 10% travels by both car and bus. Then, persons travelling by car or bus is

a) 80% b) 40% c) 60% d) 70%

120. If $n(A \cap B = 10, n(B \cap C) = 20)$ and $n(A \cap C) = 30$, then the greatest possible value of $n(A \cap B \cap C)$ is

a) 15 b) 20 c) 10 d) 4

121. If S is the set of squares and R is the set of rectangles, then $(S \cup R) - (S \cap S)$ is

a) S

b) R

c) Set of squares but not rectangles

d) Set of rectangles but not squares

122. Let X be a family of sets and R be a relation on X defined by $'A$ is disjoint from B'. Then, R is

a) Reflexive b) Symmetric c) Antisymmetric d) Transitive

123. If $A = \{x, y\}$, then the power set of A is

a) $\{\mathrm{x}^{\mathrm{y}}, \mathrm{y}^{\mathrm{x}}\}$ b) $\{\phi, x, y\}$ c) $\{\phi, \{x\}, \{2y\}\}$ d) $\{\phi, \{x\}, \{y\}, \{x, y\}\}$

124. In a town of 10,000 familiesit was found that 40% families buy newspaper A, 20% families buy newspaper B and 10% families buy newspaper C, 5% families buy A and B, 3% buy B and C and 4% buy A and C. If 2% families buy all the three newspapers, then the number of families which buy A only is

a) 3100 b) 3300 c) 2900 d) 1400

125. Let R and S be two equivalence relations on a set A. Then,

a) $R \cup S$ is an equivalence relation on A

b) $R \cap S$ is an equivalence relation on A

c) $R - S$ is an equivalence relation on A

d) None of these

126. Which of the following is true?

a) $A \cap \phi = A$ b) $A \cap \phi = \phi$ c) $A \cap \phi = U$ d) $A \cap \phi = A'$

127. Let $A = \{p, q, r\}$. Which of the following is not an equivalence relation on A?
a) $R_1 = \{(p, q), (q, r), (p, r), (p, p)\}$
b) $R_2 = \{(r, q), (r, p), (r, r), (q, q)\}$
c) $R_3 = \{(p, p), (q, q), (r, r). (p, q)\}$
d) None of these

128. Let $A = \{1, 2, 3, 4\}, B = \{2, 4, 6\}$. Then, the number of sets C such that $A \cap B \subseteq C \subseteq A \cup B$ is
a) 6 b) 9 c) 8 d) 10

129. If $A = \left\{p \in N: p \text{ is } a \text{ prime and } p = \frac{7n^2+3n+3}{n} \text{ for some } n \in N\right\}$, then the number of elements in the set A, is
a) 1 b) 2 c) 3 d) 4

130. Let $Y = \{1, 2, 3, 4, 5\}, A\{1, 2\}, B = \{3, 4, 5\}$ and ϕ denotes null set. If $(A \times B)$ denotes cartesian product of the sets A and B; then $(Y \times A) \cap (Y \times B)$ is
a) Y b) A c) B d) ϕ

131. If $n(A)$ denotes the number of elements in the set A and if $n(A) = 4, n(B) = 5$ and $n(A \cap B) = 3$, then $n[(A \times B) \cap (B \times A)]$ is equal to
a) 8 b) 9 c) 10 d) 11

132. Universal set, $U = \{x: x^5 - 6x^4 + 11x^3 - 6x^2 = 0\}$
And $A = \{x: x^2 - 5x + 6 = 0\}$
$B = \{x: x^2 - 3x + 2 = 0\}$
Then, $(A \cap B)'$ is equal to
a) $\{1, 3\}$ b) $\{1, 2, 3\}$ c) $\{0, 1, 3\}$ d) $\{0, 1, 2, 3\}$

133. If R be a relation $<$ from $A = \{1,2,3,4\}$ to $B = \{1,3,5\}$ $i.e. (a, b) \in R \Leftrightarrow a < b$, then $R \, o \, R^{-1}$ is
a) $\{(1,3), (1,5), (2,3), (2,5), (3,5), (4,5)\}$
b) $\{(3,1), (5,1), (3,2), (5,2), (5,3), (5,4)\}$
c) $\{(3,3), (3,5), (5,3), (5,5)\}$
d) $\{(3,3), (3,4), (4,5)\}$

134. A relation between two persons is defined as follows:
$aRb \Leftrightarrow a$ and b born in different months. Then, R is
a) Reflexive b) Symmetric c) Transitive d) Equivalence

135. If A and B are two sets such that $n(A \cap \bar{B}) = 9, n(\bar{A} \cap B) = 10$ and $n(A \cup B) = 24$, then $n(A \times B) =$
a) 105 b) 210 c) 70 d) None of these

136. If A and B are two sets, then $A - (A - B)$ is equal to
a) B b) $A \cup B$ c) $A \cap B$ d) $B - A$

137. If $A = \{1, 2, 3, 4\}$, then the number of subsets of A that contain the element 2 but not 3, is
a) 16 b) 4 c) 8 d) 24

138. Let A be a set of compartments in a train. Then the relation R defined on A as aRb iff "a and b have the link between them", then which of the following is true for R?
a) Reflexive b) Symmetric c) Transitive d) Equivalence

139. Let R and S be two relations on a set A. Then, which one of the following is not true?
a) R and S are transitive, then $R \cup S$ is also transitive
b) R and S are transitive, then $R \cap S$ is also transitive
c) R and S are reflexive, then $R \cap S$ is also reflexive
d) R and S are symmetric, then $R \cup S$ is also symmetric

140. The relation "is a factor of" on the set N of all natural numbers is not
a) Reflexive b) Symmetric c) Antisymetric d) Transitive

141. If $R \subset A \times B$ and $S \subset B \times C$ be relations, then $(SoR)^{-1} =$
a) $S^{-1} o \, R^{-1}$ b) $R^{-1} \, o \, S^{-1}$ c) SoR d) RoS

142. If relation R is defined as :
aRb if "a is the father of b". Then, R is
a) Reflexive b) Symmetric c) Transitive d) None of these

143. In a set of teachers of a school, two teachers are said to be related if they "teach the same subject", then the

relation is

a) Reflexive and symmetric
b) Symmetric and transitive
c) Reflexive and transitive
d) Equivalence

144. In a battle 70% of the combatants lost one eye, 80% an ear, 75% an arm, 85% a leg, x% lost all the four limbs. The minimum value of x is

a) 10 b) 12 c) 15 d) None of these

145. If $A = \{1, 2, 3, 4\}$, then the number of subsets of set A containing element 3, is

a) 24 b) 28 c) 8 d) 16

146. The relation $R = \{(1,1), (2,2), (3,3), (1,2), (2,3), (1,3)\}$ on set $A = \{1,2,3\}$ is

a) Reflexive but not symmetric
b) Reflexive but not transitive
c) Symmetric and transitive
d) Neither symmetric nor transitive

147. The value of $(A \cup B \cup C) \cap (A \cap B^C \cap C^C)^C \cap C^C$ is

a) $B \cap C^C$ b) $B^C \cap C^C$ c) $B \cap C$ d) $A \cap B \cap C$

148. If a set A contains n elements, then which of the following cannot be the number of reflexive relations on the set A?

a) 2^n b) 2^{n-1} c) 2^{n^2-1} d) 2^{n+1}

149. If A and B are two sets such that $n(A) = 7, n(B) = 6$ and $(A \cap B) \neq \phi$. The least possible value of $n(A \Delta B)$, is

a) 1 b) 7 c) 6 d) 13

150. Set builder form of the relation
$R = \{(-2, -7), (-1, -4), (0, -1), (1, 2), (2, 5)\}$ is

a) $\{(a, b): b = 2a - 3; a, b, \in Z\}$
b) $((x, y): y = 3x - 1; x, y \in Z\}$
c) $\{(a, b): b = 3a - 1; a, b \in N\}$
d) $\{(u, v): v = 3u - 1; -2 \leq u < 3 \text{ and } u \in Z\}$

151. Out of 800 boys in a school 224 played cricket, 240 played hockey and 336 played basketball. Of the total, 64 played both basketball and hockey; 80 played cricket and basketball and 40 played cricket and hockey; 24 played all the three games. The number of boys who did not play any game is

a) 160 b) 240 c) 216 d) 128

152. Two finite sets have m and n elements. The number of elements in the power set of first set is 48 more than the total number of elements in the power set of the second set. Then, the value of M and N are

a) 7, 6 b) 6, 3 c) 6, 4 d) 7, 4

153. Let A and B be two sets, then $(A \cup B)' \cup (A' \cap B)$ is equal to

a) A' b) A c) B' d) None of these

154. The relation 'is not equal to' is defined on R, is

a) Reflexive only b) Symmetric only c) Transitive only d) Equivalence

155. If A and B are two sets such that $n(A) = 7, n(B) = 6$ and $(A \cap B) \neq \phi$. Then the greatest possible value of $n(A \Delta B)$, is

a) 11 b) 12 c) 13 d) 10

156. In the set $A = \{1, 2, 3, 4, 5\}$, a relation R is defined by $R = \{(x, y): x, y \in A \text{ and } x < y\}$. Then, R is

a) Reflexive b) Symmetric c) Transitive d) None of these

157. If two sets A and B are having 99 elements in common, then the number of elements common to each of the sets $A \times B$ and $B \times A$ are

a) 2^{99} b) 99^2 c) 100 d) 18

158. For any two sets A and B, if $A \cap X = B \cap X = \phi$ and $A \cup X = B \cup X$ for some set X, then

a) $A - B = A \cap B$ b) $A = B$ c) $B - A = A \cap B$ d) None of these

159. Which one of the following relations on R is an equivalence relation?
a) $a\ R_1 b \Leftrightarrow |a| = |b|$ b) $a\ R_2 b \Leftrightarrow a \geq b$ c) $a\ R_3 b \Leftrightarrow a$ divides b d) $a\ R_4 b \Leftrightarrow a < b$
160. Let R be a relation defined on S, the set of squares on a chess board such that xRy iff x and y share a common side. Then, which of the following is false for R?
a) Reflexive b) Symmetric c) Transitive d) All the above
161. If $A = \{x, y, z\}$, then the relation
$R = \{(x, x), (y, y), (z, z), (z, x), (z, y)\}$ is
a) Symmetric b) Antisymmetric c) Transitive d) Both (a) and (b)
162. If $A = \{x : x \text{is a multiple of } 4\}$ and,
$B = \{x : x \text{ is a multiple of } 6\}$, then $A \cap B$ consists of multiples of
a) 16 b) 12 c) 8 d) 4
163. If $A = \{a, b, c, l, m, n\}$, then the maximum number of elements in any relation on A is
a) 12 b) 16 c) 32 d) 36
164. Consider the following statements:
p : Every reflexive relation is symmetric relation
q : Every anti-symmetric relation is reflexive
Which of the following is/are true?
a) p alone b) q alone c) Both p and q d) Neither p nor q
165. For any two sets A and B, $A - (A - B)$ equals
a) A b) $A - B$ c) $A \cap B$ d) $A^C \cap B^C$
166. If A, B and C are three non-empty sets such that A and B are disjoint and the number of elements contained in A is equal to those contained in the set of elements common to the sets A and C, then $n(A \cup B \cup C)$ is necessarily equal to
a) $n(B \cup C)$ b) $n(A \cup C)$ c) Both (a) and (b) d) None of these
167. The relation R defined in N as $a\ R\ b \Leftrightarrow b$ is divisible by a is
a) Reflexive but not symmetric
b) Symmetric but not transitive
c) Symmetric and transitive
d) None of these
168. If $A = \left\{n : \frac{n^3+5n^2+2}{n} \text{ is an integer and itself is an integer}\right\}$, then the number of elements in the set A, is
a) 1 b) 2 c) 3 d) 4
169. In a class of 175 students the following data shows the number of students opting one or more subjects. Mathematics 100; Physics 70; Chemistry 40; Mathematics and Physics 30; Mathematics and Chemistry 28; Physics and Chemistry 23; Mathematics, Physics and Chemistry 18. How many students have offered Mathematics alone?
a) 35 b) 48 c) 60 d) 22
170. Consider the set A of all determinants of order 3 with entries 0 or 1 only. Let Bbe the subset of A consisting of all determinants with value 1. Let C be the subset of the set of all determinants with value -1. Then
a) C is empty
b) B has as many elements as C
c) $A = B \cup C$
d) B has twice as many elements as C
171. Let $P = \{(x, y) | x^2 + y^2 = 1, x, y \in R\}$. Then, P is
a) Reflexive b) Symmetric c) Transitive d) Antisymmetric

1 **(b)**

For any $a \in R$, we have $a \geq a$

Therefore, the relation R is reflexive.

R is not symmetric as $(2,1) \in R$ but $(1,2) \notin R$. The relation R is transitive also, because $(a, b) \in R, (b, c) \in R$ imply that $a \geq b$ and $b \geq c$ which in turn imply that $a \geq c$

2 **(d)**

Clearly, R is an equivalence relation

3 **(c)**

Let M and E denote the sets of students who have taken Mathematics and Economics respectively. Then, we have

$n(M \cup E) = 35, n(M) = 17$ and $n(M \cap E') = 10$

Now,

$n(M \cap E') = n(M) - n(M \cap E)$

$\Rightarrow 10 = 17 - n(M \cap E) \Rightarrow n(M \cap E) = 7$

Now,

$n(M \cup E) = n(M) + n(E) - n(M \cap E)$

$\Rightarrow 35 = 17 + n(E) - 7 \Rightarrow n(E) = 25$

$\therefore n(E \cap M') = n(E) - n(E \cap M) = 25 - 7 = 18$

4 **(a)**

Let $A = \{n(n+1)(2n+1): n \in Z\}$

Putting $n = \pm1, \pm2, \dots$, we get $A = \{\dots -30, -6, 0, 6, 30, \dots\}$

$\Rightarrow \quad \{n(n+1)(2n+1): n \in Z\} \subset \{6k: k \in Z\}$

5 **(a)**

$\because \quad A \cup B = \{1, 2, 3, 4, 5, 6\}$

$\therefore \quad (A \cup B) \cap C = \{1, 2, 3, 4, 5, 6\} \cap \{3, 4, 6\}$

$= \{3, 4, 6\}$

6 **(d)**

We have,

$n(A \cap \bar{B}) = 9, n(\bar{A} \cap B) = 10$ and $n(A \cup B) = 24$

$\Rightarrow n(A) - n(A \cap B) = 9, n(B) - n(A \cap B) = 10$

and, $n(A) + n(B) - n(A \cap B) = 24$

$\Rightarrow n(A) + n(B) - 2n(A \cap B) = 19$ and $n(A) + n(B) - n(A \cap B) = 24$

$\Rightarrow n(A \cap B) = 5$

$\therefore n(A) = 14$ and $n(B) = 15$

Hence, $n(A \times B) = 14 \times 15 = 210$

7 **(a)**

Clearly, $P \subset T$

$\therefore P \cap T = P$

8 **(a)**

It is given that A is a proper subset of B

$\therefore A - B = \phi \Rightarrow n(A - B) = 0$

We have, $n(A) = 5$. So, minimum number of elements in B is 6

Hence, the minimum possible value of $n(A \,\Delta\, B)$ is $n(B) - n(A) = 6 - 5 = 1$

9 **(d)**

$\because \quad n(A \times B \times C) = n(A) \times n(B) \times n(C)$

$\therefore \quad n(C) = \frac{24}{4 \times 3} = 2$

10 **(b)**

Use $n(A \cup B) = n(A) + n(B) - n(A \cap B)$

11 **(d)**

$\because A = \{(a, b): a^2 + 3b^2 = 28, a, b \in Z\}$

={(5, 1), (-5, -1), (5, -1), (-5, 1), (1, 3), (-1, -3), (-1, 3),

(1, -3), (4, 2), (-4, -2), (4, -2), (-4, 2)}

And $B = \{(a, b): a > b, a, b \in Z\}$

$\therefore \quad A \cap B$

$= \{(-1, -5), (1, -5), (-1, -3), (1, -3), (4, 2), (4, -$

$\therefore$ Number of elements in $A \cap B$ is 6.

13 **(d)**

We have

$R = \{(1,39), (2,37), (3,35), (4,33), (5,31), (6,29), (7,27), (8,25), (9,23), (10,21), (11,19), (12,17), (13,15), (14,13), (15,11), (16,9), (17,7), (18,5), (19,3), (20,1)\}$

Since $(1,39) \in R$, but $(39,1) \notin R$

Therefore, R is not symmetric

Clearly, R is not reflexive. Now, $(15,11) \in R$ and $(11,19) \in R$but $(15,19) \notin R$

So, R is not transitive

14 **(c)**

Total number of employees $= 7x$ i.e. a multiple of 7. Hence, option (c) is correct



15 **(a)**

The power set of a set containing n elements has 2^n elements.

Clearly, 2^n cannot be equal to 26

16 **(b)**

The relation is not symmetric, because $A \subset B$ does not imply that $B \subset A$. But, it is anti-symmetric because

$A \subset B$ and $B \subset A \Rightarrow A = B$

18 **(c)**

We have, $A \supset B \supset C$

$\therefore A \cup B \cup C = A$ and $A \cap B \cap C = C$
$\Rightarrow (A \cup B \cup C) - (A \cap B \cap C) = A - C$

19 **(c)**
Given, $n(C) = 63, n(A) = 76$ and $n(C \cap A) = x$
We know that,
$n(C \cup A) = n(C) + n(A) - n(C \cap A)$
$\Rightarrow \quad 100 = 63 + 76 - x \Rightarrow x = 139 - 100 = 39$
And $n(C \cap A) \leq n(C)$
$\Rightarrow \quad x \leq 63 \quad \therefore 39 \leq x \leq 63$

20 **(b)**
We have,
$X =$ Set of some multiple of 9
and, $Y =$ Set of all multiple of 9
$\therefore X \subset Y \Rightarrow X \cup Y = Y$

21 **(c)**
$A \cap B$
$= \{x: x$ a multiple of 3$\}$and $\{x: x$ is a multiple of 5$\}$
$= \{x: x$ is a multiple of 15$\}$
$= \{15, 30, 45, \dots \dots \dots .\}$

22 **(b)**
We have,
$n(A \times B) = 45$
$\Rightarrow n(A) \times n(B) = 45$
$\Rightarrow n(A)$and $n(B)$ are factors of 45 such that their product is 45
Hence, $n(A)$ cannot be 17

24 **(a)**
For any $x \in R$, we have
$x - x + \sqrt{2} = \sqrt{2}$ an irrational number
$\Rightarrow x\, R\, x$ for all x
So, R is reflexive
R is not symmetric, because $\sqrt{2}\, R\, 1$ but $1 \not R \sqrt{2}$
R is not transitive also because $\sqrt{2}\, R\, 1$ and
$1\, R\, 2\sqrt{2}$ but $\sqrt{2} \not R\, 2\sqrt{2}$

25 **(b)**
We have,
$n(H) - n(H \cap E) = 22, n(E) - n(H \cap E) = 12, n(H \cup E) = 45$
$\therefore n(H \cup E) = n(H) + n(E) - n(H \cap E)$
$\Rightarrow 45 = 22 + 12 + n(H \cup E)$
$\Rightarrow n(H \cap E) = 11$

26 **(c)**
We have, $A \subset B$ and $B \subset C$
$\therefore A \cup B = B$ and $B \cap C = B$
$\Rightarrow A \cup B = B \cap C$

27 **(c)**
Let $A = \left\{x \in R: \frac{2x-1}{x^3+4x^2+3x}\right\}$
Now, $x^3 + 4x^2 + 3x = x(x^2 + 4x + 3)$
$= x(x+3)(x+1)$
$\therefore \quad A = R - \{0, -1, -3\}$

29 **(d)**
Clearly, $y^2 = x$ and $y = |x|$ intersect at $(0,0), (1,1)$ and $(-1,-1)$. Hence, option (d) is correct

31 **(d)**
Let M, P and C be the sets of students taking examinations in Mathematics, Physics and Chemistry respectively.
We have,
$n(M \cup P \cup C) = 50, n(M) = 37, n(P) = 24, n(C) = 43$
$n(M \cap P) < 19, n(M \cap C) \leq 29, n(P \cap C) \leq 20$
Now,
$n(M \cup P \cup C) = n(M) + n(P) + n(C) - n(M \cap P) - n(M \cap C) - n(P \cap C) + n(M \cap P \cap C)$
$\Rightarrow 50 = 37 + 24 + 43 - \{n(M \cap P) + n(M \cap C) + n(P \cap C)\} + n(M \cap P \cap C)$
$\Rightarrow n(M \cap P \cap C) = n(M \cap P) + n(M \cap C) + n(P \cap C) - 54$
$\Rightarrow n(M \cap P) + n(M \cap C) + n(P \cap C)$
$= n(M \cap P \cap C) + 54 \quad$ ...(i)
Now,
$n(M \cap P) \leq 19, n(M \cap C) \leq 29, n(P \cap C) \leq 20$
$\Rightarrow n(M \cap P) + n(M \cap C) + n(P \cap C) \leq 19 + 29 + 20 \quad$ [Using (i)]
$\Rightarrow n(M \cap P \cap C) + 54 \leq 68$
$\Rightarrow n(M \cap P \cap C) \leq 14$

33 **(a)**
Given, $n(N) = 12, n(P) = 16, n(H) = 18,$
$n(N \cup P \cup H) = 30$
And $\quad n(N \cap P \cap H) = 0$
Now, $n(N \cup P \cup H) = n(N) + n(P) + n(H) - n(N \cap P) - n(P \cap H) - n(H \cap N) + n(N \cap P \cap H)$
$\Rightarrow n(N \cap P) + n(P \cap H) + n(H \cap N) = (12 + 16 + 18) - 30$
$= 46 - 30 = 16$

35 **(b)**
The void relation R on A is not reflexive as $(a, a) \notin R$ for any $a \in A$. The void relation is symmetric and transitive

36 **(c)**
Given, A's are 30 sets with five elements each, so
$\sum_{i=1}^{30} n(A_i) = 5 \times 30 = 150 \quad$ ...(i)
If the m distinct elements in S and each elements of S belongs to exactly 10 of the A_i's, then
$\sum_{i=1}^{30} n(A_i) = 10m \quad$ ...(ii)
From Eqs. (i) and (ii), $m = 15$

Similarly, $\sum_{j=1}^{n} n(B_j) = 3n$ and $\sum_{j=1}^{n} n(B_j) = 9m$

$\therefore \quad 3n = 9m$

$\Rightarrow \quad n = \frac{9m}{3} = 3 \times 15 = 45$

38 **(b)**

$A \cup B$ will contain minimum number of elements if $A \subset B$ and in that case, we have

$n(A \cup B) = n(B) = 6$

40 **(c)**

It is given that $A_1 \subset A_2 \subset A_3 \subset \cdots \subset A_{100}$

$\therefore \bigcup_{i=3}^{100} A_i = A \Rightarrow A_3 = A \Rightarrow n(A) = n(A_3) = 3 + 2$
$= 5$

41 **(d)**

We have,

$A \cap (A \cap B)^c = A \cap (A^c \cup B^c)$

$\Rightarrow A \cap (A \cap B)^c = (A \cap A^c) \cup (A \cap B^c)$

$\Rightarrow A \cap (A \cap B)^c = \phi \cup (A \cap B^c) = A \cap B^c$

42 **(c)**

Since R is a reflexive relation on A.

$\therefore (a, a) \in R$ for all $a \in A$

$\Rightarrow n(A) \leq n(R) \leq n(A \times A) \Rightarrow 13 \leq n(R) \leq 169$

43 **(d)**

Clearly, R is reflexive symmetric and transitive. So, it is an equivalence relation

44 **(a)**

We have,

Required number of families

$= n(A' \cap B' \cap C')$

$= n(A \cup B \cup C)'$

$= N - n(A \cup B \cup C)$

$= 10000 - \{n(A) + n(B) + n(C) - n(A \cap B)\}$
$-n(B \cap C) - n(A \cap C) + n(A \cap B \cap C)\}$

$= 10000 - 4000 - 2000 - 1000 + 500 + 300$
$+ 400 - 200$

$= 4000$

45 **(a)**

We have,

$A \subset A \cup B$

$\Rightarrow A \cap (A \cup B) = A$

46 **(b)**

We have,

$(A \cup B) \cap B' = A$

$\therefore \left((A \cup B) \cap B'\right) \cup A' = A \cup A' = N$

48 **(b)**

The set A consists of all points on $y = e^x$ and the set Bconsists of points on $y = e^{-x}$, these two curves intersect at (0, 1). Hence, $A \cap B$ consists of a single point

50 **(b)**

Given, $A \cap B = A \cap C$ and $A \cup B = A \cup C$

$\Rightarrow \quad B = C$

51 **(d)**

Required number

$$= \frac{3^4 + 1}{2} = 41$$

52 **(b)**

Clearly, A is the set of all points on a circle with centre at the origin and radius 2 and B is the set of all points on a circle with centre at the origin and radius 3. The two circles do not intersect.

Therefore,

$A \cap B = \phi \Rightarrow B - A = B$

53 **(c)**

We have,

$n(A^c \cap B^c)$

$= n\{(A \cup B)^c\}$

$= n(\mathcal{U}) - n(A \cup B)$

$= n(\mathcal{U}) - \{n(A) + n(B) - n(A \cap B)\}$

$= 700 - (200 + 300 - 100) = 300$

54 **(a)**

We have,

$\cos\theta > -\frac{1}{2}$ and $0 \leq \theta \leq \pi$

$\Rightarrow 0 \leq \theta \leq 2\pi/3$ and $0 \leq \theta \leq \pi$

$\Rightarrow 0 \leq \theta \leq \frac{2\pi}{3} \Rightarrow A = \{\theta: 0 \leq \theta \leq 2\pi/3\}$

Also,

$\sin\theta > \frac{1}{2}$ and $\pi/3 \leq \theta \leq \pi$

$\Rightarrow \frac{\pi}{3} \leq \theta \leq \frac{5\pi}{6} \Rightarrow B = \left\{\theta: \frac{\pi}{3} \leq \theta \leq \frac{5\pi}{6}\right\}$

$\therefore A \cap B = \left\{\theta: \frac{\pi}{3} \leq \theta \leq \frac{2\pi}{3}\right\}$ and $A \cup B$

$$= \left\{\theta: 0 \leq \theta \leq \frac{5\pi}{6}\right\}$$

55 **(d)**

Clearly, R is an equivalence relation

56 **(c)**

Given, $A = \{1, 2, 3\}, B = \{a, b\}$

$\therefore \quad A \times B$

$= \{(1, a), (1, b), (2, a), (2, b), (3, a), (3, b)\}$

57 **(b)**

Clearly,

$A_2 \subset A_3 \subset A_4 \subset \cdots \subset A_{10}$

$\therefore \bigcup_{n=2}^{10} A_n = A_{10} = \{2,3,5,7,11,13,17,19,23,29\}$

58 **(c)**

Clearly,

R

$= \{(4,6), (4,10), (6,4), (10,4)(6,10), (10,6), (10,12)$

Clearly, R is symmetric

$(6,10) \in R$ and $(10,12) \in R$ but $(6,12) \notin R$

So, R is not transitive

Also, R is not reflexive

61 **(c)**

It is given that

$A_1 \subset A_2 \subset A_3 \dots \subset A_{99}$

$\bigcup_{i=1}^{999} A_i = A_{99}$

$\Rightarrow n\left(\bigcup_{i=1}^{99} A_i\right) = n(A_{99}) = 99 + 1 = 100$

62 **(b)**

It is given that $2^m - 2^n = 56$

Obviously, $m = 6, n = 3$ satisfy the equation

63 **(b)**

Clearly, $(a, a) \in R$ for any $a \in A$

Also,

$(a, b) \in R$

$\Rightarrow a$ and b are in different zoological parks

$\Rightarrow b$ and a are in different zoological parks

$\Rightarrow (b, a) \in R$

Now, $(a, b) \in R$ and $(b, a) \in R$ but $(a, a) \notin R$

So, R is not transitive

64 **(d)**

$X \cap Y = \{1, 2, 4, 5, 8, 10, 20, 25, 40, 50, 100, 200\}$

$\therefore \qquad n(X \cap Y) = 12$

66 **(c)**

We have,

$X \cap (Y \cup X)' = X \cap (Y' \cap X') = (X \cap X') \cap Y'$

$= \phi \cap Y' = \phi$

67 **(b)**

The number of subsets of A containing 2, 3 and 5 is same as the number of subsets of set $\{1, 4, 6\}$ which is equal to $2^3 = 8$

68 **(a)**

We have,

$B_1 = A_1 \Rightarrow B_1 \subset A_1$

$B_2 = A_2 - A_1 \Rightarrow B_2 \subset A_2$

$B_3 = A_3 - (A_1 \cup A_2) \Rightarrow B_3 \subset A_3$

$\therefore B_1 \cup B_2 \cup B_3 \subset A_1 \cup A_2 \cup A_3$

69 **(d)**

The identity relation on a set A is reflexive and symmetric both. So, there is always a reflexive and symmetric relation on a set

70 **(a)**

Let the total number of voters be n. Then,

Number of voters voted for $A = \frac{nx}{100}$

Number of voters voted for $B = \frac{n(x+20)}{100}$

$\therefore$ Number of voters who voted for both

$= \frac{nx}{100} + \frac{n(x + 20)}{100}$

$= \frac{n(2x + 20)}{100}$

Hence, $n - \frac{n(2x + 20)}{100} = \frac{20n}{100} \Rightarrow x = 30$

71 **(c)**

Since $(1,1) \notin R$. So, R is not reflexive

Now, $(1,2) \in R$ but, $(2,1) \notin R$. Therefore, R is not symmetric.

Clearly, R is transitive

72 **(b)**

Let A and B denote respectively the sets of families who got new houses and compensation

It is given that

$n(A \cap B) = n(\overline{A \cup B})$

$\Rightarrow n(A \cap B) = 50 - n(A \cup B)$

$\Rightarrow n(A) + n(B) = 50$

$\Rightarrow n(B) + 6 + n(B) = 50 \quad [\because n(A)$

$= n(B) + 6$ (given)]

$\Rightarrow n(B) = 22 \Rightarrow n(A) = 28$

73 **(b)**

We have,

$n(A' \cap B') = n((A \cup B)')$

$\Rightarrow n(A' \cap B') = n(\mathcal{U}) - n(A \cup B)$

$\Rightarrow n(A' \cap B') = n(\mathcal{U})$

$- \{n(A) + n(B) - n(A \cap B)\}$

$\Rightarrow 300 = n(\mathcal{U}) - \{200 + 300 - 100\}$

$\Rightarrow n(\mathcal{U}) = 700$

74 **(b)**

For any integer n, we have

$n|n \Rightarrow n\,R\,n$

So, $n\,R\,n$ for all $n \in Z$

$\Rightarrow R$ is reflexive

Now, 2|6 but 6 does not divide 2

$\Rightarrow (2, 6) \in R$ but $(6,2) \notin R$

So, R is not symmetric

Let $(m, n) \in R$ and $(n, p) \in R$. Then,

$\left.\begin{array}{l}(m, n) \in R \Rightarrow m|n \\ (n, p) \in R \Rightarrow n|p\end{array}\right\} \Rightarrow m|p \Rightarrow (m, p) \in R$

So, R is transitive

Hence, R is reflexive and transitive but it is not symmetric

75 **(c)**

Since, $A = B \cap C$ and $B = C \cap A$,

Then $\quad A \equiv B$

76 **(d)**

Since $n|n$ for all $n \in N$. Therefore, R is reflexive.

Since $2|6$ but $6 \nmid 2$, therefore R is not symmetric

Let $n\,R\,m$ and $m\,R\,p$

$\Rightarrow n\ R\ m$ and $m\ R\ p$
$\Rightarrow n|m$ and $m|p \Rightarrow n|p \Rightarrow n\ R\ p$
So, R is transitive

77 **(a)**
We have,
$b\ N = \{b\ x|x \in \mathrm{N}\}$ = Set of positive integral multiples of b
$c\ N = \{c\ x|x \in N\}$ = Set positive integral multiples of c
$\therefore bN \cap cN$ = Set of positive integral multiples of bc
$\Rightarrow bN \cap cN = bc\ N$ [$\because b$ and c are prime]
Hence, $d = bc$

79 **(b)**
Let $x, y \in A$. Then,
$x = m^2, y = n^2$ for some $m, n \in N$
$\Rightarrow xy = (mn)^2 \in A$

80 **(c)**
We have,
$A_1 \subset A_2 \subset A_3 \subset \cdots \subset A_{100}$
$\therefore \bigcup_{i=1}^{100} A_i = A_{100} \Rightarrow n\left(\bigcup_{i=1}^{100} A_i\right) = n(A_{100}) = 101$

81 **(c)**
Let the total population of town be x.



$\therefore \quad \frac{25x}{100} + \frac{15x}{100} - 1500 + \frac{65x}{100} = x$
$\Rightarrow \quad \frac{105x}{100} - x = 1500$
$\Rightarrow \quad \frac{5x}{100} = 1500$
$\Rightarrow \quad x = 30000$

82 **(d)**
As A, B, C are pair wise disjoints. Therefore,
$A \cap B = \phi, B \cap C = \phi$ and $A \cap C = \phi$
$\Rightarrow A \cap B \cap C = \phi \Rightarrow (A \cup B \cup C) \cap (A \cap B \cap C) = \phi$

83 **(b)**
Clearly, $R = \{(1,3), (3,1), (2,2)\}$
We observe that R is symmetric only

84 **(d)**
Given figure clearly represents
$(A - B) \cup (B - A)$

85 **(d)**
R_4 is not a relation from A to B, because $(7,9) \in R_4$ but $(7,9) \notin A \times B$

86 **(c)**
R is reflexive if it contains $(1,1), (2,2), (3,3)$
$\because (1,2) \in R, (2,3) \in R$
$\because R$ is symmetric, if $(2,1), (3,2) \in R$
Now, $R =$
$\{(1,1), (2,2), (3,3), (2,1), (3,2), (2,3), (1,2)\}$
R will be transitive, if $(3,1), (1,3) \in R$
Thus, R becomes an equivalence relation by adding $(1,1)(2,2)(3,3), (2,1)(3,2), (1,3), (3,1)$.
Hence, the total number of ordered pairs is 7

87 **(c)**
The set A is the set of all points on the hyperbola $xy = 1$ having its two branches in the first and third quadrants, while the set B is the set of all points on $y = -x$ which lies in second and four quadrants. These two curves do not intersect.
Hence, $A \cap B = \phi$.

88 **(b)**
Since R is an equivalence relation on set A.
Therefore $(a, a) \in R$ for all $a \in A$.
Hence, R has at least n ordered pairs

89 **(d)**
It is given $A_1 \subset A_2 \subset A_3 \subset A_4 \ldots \subset A_{50}$
$\therefore \bigcup_{i=11}^{50} A_i = A_{11}$
$\Rightarrow n\left(\bigcup_{i=11}^{50} A_i\right) = n(A_{11}) = 11 - 1 = 10$

90 **(d)**
We have,
$b\ N = \{b\ x|x \in \mathrm{N}\}$ = Set of positive integral multiples of b
$c\ N = \{c\ x|x \in N\}$ = Set of positive integral multiples of c
$\therefore c\ N = \{c\ x \mid x \in N\}$ = Set of positive integral multiples of b and c both
$\Rightarrow d = 1.\mathrm{c.m.}$ of b and c

91 **(d)**
Clearly, R is an equivalence relation

92 **(b)**
Number of element is $S = 10$
And $\quad A = \{(x, y); x, y \in S, x \neq y\}$
$\therefore$ Number of element in $A = 10 \times 9 = 90$

93 **(c)**
Clearly,
$R = \{(\mathrm{BHEL}, \mathrm{SAIL}), (\mathrm{SAIL}, \mathrm{BHEL}), (\mathrm{BHEL}, \mathrm{GAIL}), (\mathrm{GAIL}, \mathrm{BHEL}), (\mathrm{BHEL}, \mathrm{IOCL}), (\mathrm{IOCL}, \mathrm{BHEL})\}$
We observe that R is symmetric only

94 **(a)**
According to the given condition,

$2^m = 112 + 2^n$

$\Rightarrow \quad 2^m - 2^n = 112$

$\Rightarrow \quad m = 7, n = 4$

96 **(c)**

We have,

$$p = \frac{(n+2)(2n^5 + 3n^4 + 4n^3 + 5n^2 + 6)}{n^2 + 2n}$$

$$\Rightarrow p = 2n^4 + 3n^3 + 4n^2 + 5n + \frac{6}{n}$$

Clearly, $p \in Z^+$ iff $\text{n} = 1, 2, 3, 6$. So, A has 4 elements

97 **(b)**

Clearly,

$x \in A - B \Rightarrow x \in A$ but $x \notin B$

$\Rightarrow x$ is a multiple of 3 but it is not a multiple of 5

$\Rightarrow x \in A \cap \bar{B}$

98 **(b)**

Total drinks=3(ie, milk, coffee, tea).



Total number of students who take any of the drink is 80.

$\therefore$The number of students who did not take any of three drinks$= 100 - 80 = 20$

100 **(d)**

$n(A \cup B) = n(A) + n(B) - n(A \cap B)$

$= 12 + 9 - 4 = 17$

Hence, $n[(AUB)^c] = n(U) - n(A \cup B)$

$= 20 - 17 = 3$

101 **(c)**

We have,

$\{x \in Z: |x - 3| < 4\} = \{x \in Z: -1 < x < 7\}$

$= \{0,1,2,3,4,5,6\}$

and,

$\{x \in Z: |x - 4| < 5\} = \{x \in Z: -1 < x < 9\}$

$= \{0,1,2,3,4,5,6,7,8\}$

$\therefore \{x \in Z: |x - 3| < 4\} \cap \{x \in Z: |x - 4| < 5\}$

$= \{0,1,2,3,4,5,6\}$

102 **(a)**

Since R is reflexive relation on A

$\therefore (a, a) \in R$ for all $a \in A$

$\Rightarrow$ The minimum number of ordered pairs in R is n

Hence, $m \geq n$

104 **(c)**

We have, $y = \frac{4}{x}$ and $x^2 + y^2 = 8$

Solving these two equations, we have

$$x^2 + \frac{16}{x^2} = 8 \Rightarrow (x^2 - 4) = 0 \Rightarrow x = \pm 2$$

Substituting $x = \pm 2$ in $y = \frac{4}{x}$, we get $y = \pm 2$

Thus, the two curves intersect at two points only $(2, 2)$ and $(-2, 2)$. Hence, $A \cap B$ contains just two points

105 **(b)**

Let $(a, b) \in R$. Then,

$|a + b| = a + b \Rightarrow |b + a| = b + a \Rightarrow (b, a) \in R$

$\Rightarrow R$ is symmetric

106 **(c)**

Minimum possible value of $n(B \cap C)$ is

$n(A \cap B \cap C) = 3$

107 **(a)**

To make R a reflexive relation, we must have $(1,1), (3,3)$ and $(5,5)$ in it. In order to make R a symmetric relation, we must inside $(3,1)$ and $(5,3)$ in it.

Now, $(1,3) \in R$ and $(3,5) \in R$. So, to make R a transitive relation, we must have, $(1,5) \in R$. But, R must be symmetric also. So, it should also contain $(5,1)$. Thus, we have

R

$= \{(1,1), (3,3), (5,5), (1,3), (3,5), (3,1), (5,3), (1,5),$

Clearly, it is an equivalence relation on $A\{1,3,5\}$

108 **(b)**

Clearly, $(3,3) \notin R$. So, R is not reflexive. Also, $(3,1)$ and $(1,3)$ are in R but $(3,3) \notin R$. So, R is not transitive

But, R is symmetric as $R = R^{-1}$

109 **(b)**

Let $(a, b) \in R$. Then,

$(a, b) \in R \Rightarrow (b, a) \in R^{-1}$ [By def. of R^{-1}]

$\Rightarrow (b, a) \in R[\because R = R^{-1}]$

So, R is symmetric

110 **(b)**

We have,

$A_2 \subset A_3 \subset A_4 \subset \cdots \subset A_{10}$

$$\therefore \bigcap_{n=3}^{10} A_n = A_3 = \{2,3,5\}$$

111 **(c)**

The possible sets are $\{\pm 2, \pm 3\}$and $\{\pm 4, \pm 1\}$; therefore, number of elements in required set is 8.

112 **(a)**

Given, $A = \{a, b, c\}$, $B = \{b, c, d\}$ and $C = \{a, d, c\}$

Now, $A - B = \{a, b, c\} - \{b, c, d\} = \{a\}$

And $B \cap C = \{b, c, d\} \cap \{a, d, c\} = \{c, d\}$

$\therefore (A - B) \times (B \cap C) = \{a\} \times \{c, d\}$

$= \{(a, c), (a, d)\}$

113 **(c)**

Given, $n(M) = 100, n(P) = 70, \quad n(C) = 40$

$n(M \cap P) = 30, \quad n(M \cap C) = 28,$

$n(P \cap C) = 23$ and $n(M \cap P \cap C) = 18$

$\therefore n(M \cap P' \cap C') = n[M \cap (P \cap C')]$

$= n(M) - n[M \cap (P \cap C)]$

$= n(M) - [n(M \cap P) + n(M \cap C) - n(M \cap P \cap C)]$

$= 100 - [30 + 28 - 18 = 60]$

114 **(d)**

$B \cap C = \{4\}$.

$\therefore A \cup (B \cap C) = \{1, 2, 3, 4\}$

115 **(c)**

$\because \quad A \subseteq B$

$\therefore \quad B \cup A = B$

116 **(c)**

$n((A \cup B)^c\} = n(\mathcal{U}) - n(A \cup B)$

$= n(\mathcal{U}) - \{n(A) + n(B) - n(A \cap B)\}$

$= 100 - (50 + 20 - 10) = 40$

117 **(d)**

If $A = \{1,2,3\}$, then $R = \{(1,1), (2,2), (3,3), (1,2)\}$ is reflexive on A but it is not symmetric

So, a reflexive relation need not be symmetric

The relation 'is less than' on the set Z of integers is antisymmetric but it is not reflexive

119 **(c)**

Clearly,

Required percent $= 20 + 50 - 10 = 60\%$

$[\because n(A \cup B) = n(A) + n(B) - n(A \cap B)]$

120 **(c)**

The greatest possible value of $n(A \cap B \cap C)$ is the least amongst the values $n(A \cap B), n(B \cap C)$ and $n(A \cap C)$ i.e. 10

121 **(d)**

Clearly, $S \subset R$

$\therefore S \cup R = R$ and $S \cap R = S$

$\Rightarrow (S \cap R) - (S \cap R) =$Set of rectangles which are not squares

122 **(b)**

Clearly, the relation is symmetric but it is neither reflexive nor transitive

123 **(d)**

Since, power set is a set of all possible subsets of a set.

$\therefore \quad P(A) = \{\phi, \{x\}, \{y\}, \{x, y\}\}$

124 **(b)**

We have,

$N = 10{,}000, n(A) = 40\%$ of $10{,}000 = 4000$,

$n(B) = 2000, n(C) = 1000, n(A \cap B) = 500,$

$n(B \cap C) = 300, n(C \cap A) = 400, n(A \cap B \cap C) = 200$

Now,

Required number of families =

$n(A \cap \bar{B} \cap \bar{C}) = n(A \cap (B \cup C)')$

$= n(A) - n(A \cap (B \cup C))$

$= n(A) - n\big((A \cap B) \cup (A \cap C)\big)$

$= n(A) - \{n(A \cap B) + n(A \cap C) - n(A \cap B \cap C)\}$

$= 4000 - (500 + 400 - 200) = 3300$

126 **(b)**

$A \cap \phi = \phi$is true.

128 **(c)**

$A \cap B = \{2, 4\}$

$\{A \cap B\} \subseteq \{1, 2, 4\}, \{3, 2, 4\}, \{6, 2, 4\}, \{1, 3, 2, 4\},$
$\{1, 6, 2, 4\}, \{6, 3, 2, 4\}, \{2, 4\}, \{1, 3, 6, 2, 4\} \subseteq A \cup B$

$\Rightarrow \quad n(C) = 8$

129 **(a)**

We have,

$p = \dfrac{7n^2 + 3n + 3}{n} \Rightarrow p = 7n + 3 + \dfrac{3}{n}$

It is given that $n \in N$ and p is prime. Therefore,

$n = 1$

$\therefore n(A) = 1$

130 **(d)**

$(Y \times A) = \{(1, 1), (1, 2), (2, 1), (2, 2),$
$(3, 1), (3, 2), (4, 1), (4, 2), (5, 1), (5, 2)\}$

And$(Y \times B) = \{(1, 3), (1, 4), (1, 5), (2, 3),$
$(2, 4), (2, 5), (3, 3), (3, 4), (3, 5), (4, 3),$
$(4, 4), (4, 5), (5, 3), (5, 4), (5, 5)\}$

$\therefore (Y \times A) \cap (Y \times B) = \phi$

131 **(b)**

Given, $n(A) = 4, \quad n(B) = 5$ and $\quad n(A \cap B) = 3$

$\therefore n[(A \times B) \cap (B \times A)] = 3^2 = 9$

132 **(c)**

$U = \{x: x^5 + 6x^4 + 11x^3 - 6x^2 = 0\} = \{0, 1, 2, 3\}$

$A = \{x: x^2 - 5x + 6 = 0\} = \{2, 3\}$

And $\quad B = \{x: x^2 - 3x + 2 = 0\} = \{2, 1\}$

$\therefore \quad (A \cap B)' = U - (A \cap B)$

$= \{0, 1, 2, 3\} - \{2\} = \{0, 1, 3\}$

133 **(c)**

We have,

$R = \{(1,3), (1,5), (2,3), (2,5), (3,5), (4,5)\}$

$\Rightarrow R^{-1} = \{(3,1), (5,1), (3,2), (5,2), (5,3), (5,4)\}$

Hence, $R \text{ o } R^{-1} = \{(3,3), (3,5), (5,3), (5,5)\}$

134 **(b)**

Let $(a, b) \in R$. Then,

a and b are born in different months $\Rightarrow (b, a) \in R$

So, R is symmetric

Clearly, R is neither reflexive nor transitive

136 **(c)**



A−B A−(A−B)

From the venn diagram

$A-(A-B)=A\cap B$

137 **(b)**

Required number of subsets is equal to the number of subsets containing 2 and any number of elements from the remaining elements 1 and 4

So, required number of elements $=2^2=4$

140 **(b)**

Clearly, 2 is a factor of 6 but 6 is not a factor of 2. So, the relation 'is factor of' is not symmetric. However, it is reflexive and transitive

142 **(d)**

Clearly, R is neither reflexive, nor symmetric and not transitive

143 **(d)**

Clearly, given relation is an equivalence relation

145 **(c)**

Each subset will contain 3 and any number of elements from the remaining 3 elements 1,2 and 4

So, required number of elements $=2^2=8$

146 **(a)**

Since $(1,1),(2,2),(3,3)\in R$. Therefore, R is reflexive. We observe that $(1,2)\in R$ but $(2,1)\notin R$, therefore R is not symmetric.

It can be easily seen that R is transitive

147 **(b)**



(i) $A\cup B\cup C$ (ii) $A\cap B^c\cap C^c$ (iii) C^c

From figures (i), (ii) and (iii), we get

$(A\cup B\cup C)\cap(A\cap B^C\cap C^C)\cap C^C=(B^C\cap C^C)$

148 **(d)**

A relation on set A is a subset of $A\times A$

Let $A=\{a_1,a_2,\dots,a_n\}$. Then, a reflexive relation on A must contain at least n elements $(a_1,a_1),(a_2,a_2),\dots,(a_n,a_n)$

$\therefore$ Number of reflexive relations on A is 2^{n^2-n}

Clearly, $n^2-n=n, n^2-n=n-1, n^2-n=n^2-1$ have solutions in N but $n^2-n=n+1$ is not solvable in N.

So, 2^{n+1} cannot be the number of reflexive relations on A

149 **(a)**

We have,

$A\,\Delta\,B=(A\cup B)-(A\cup B)$

$\Rightarrow n(A\,\Delta\,B)=n(A)+n(B)-2\,n(A\cap B)$

So, $n(A\,\Delta\,B)$ is greatest when $n(A\cap B)$ is least

It is given that $A\cap B\neq\phi$. So, least number of elements in $A\cap B$ can be one

$\therefore$ Greatest possible value of $n(A\,\Delta\,B)$ is $7+6-2\times1=11$

150 **(d)**

Let $R=\{(x,y): y=ax+b\}$. Then,

$(-2,-7),(-1,-4)\in R$

$\Rightarrow -7=-2a+b$ and $-4=-a+b$

$\Rightarrow a=3, b=-1$

$\therefore y=3x-1$

Hence, $R=\{(x,y): y=3x-1, -2\le x<3, x\in Z\}$

151 **(a)**

Let $\mathcal{U}$ be the set of all students in the school. Let C,H and B denote the sets of students who played cricket, hockey and basketball respectively. Then,

$n(\mathcal{U})=800, n(C)=224, n(H)=240, n(B)=336$

$n(H\cap B)=64, n(B\cap C)=80, n(H\cap C)=40$ and, $n(H\cap B\cap C)=24$

$\therefore$Required number

$=n(C'\cap H'\cap B')$

$=n(C\cup H\cup B)'$

$=n(\mathcal{U})-n(C\cup H\cup B)$

$=n(\mathcal{U})-\{n(C)+n(H)+n(B)-n(C\cap H)-n(H\cap B)-n(B\cap C)+n(C\cap H\cap B)\}$

$=800-\{224+240+336+336-64-80-40+24\}$

$=800-640=160$

152 **(c)**

According to question,

$2^m-2^n=48$

This is possible only if $m=6$ and $n=4$.

153 **(a)**

From Venn-Euler's Diagram it is clear that



$(A\cup B)'\cup(A'\cap B)=A'$

154 **(b)**

For any $a, b \in R$
$a \neq b \Rightarrow b \neq a \Rightarrow R$ is symmetric
Clearly, $2 \neq -3$ and $-3 \neq 2$, but $2 = 2$. So, R is not transitive.
Clearly, R is not reflexive

155 **(a)**
We have,
$A \, \Delta \, B = (A \cup B) - (A \cup B)$
$\Rightarrow n(A \, \Delta \, B) = n(A) + n(B) - 2\, n(A \cap B)$
So, $n(A \, \Delta \, B)$ is greatest when $n(A \cap B)$ is least
It is given that $A \cap B \neq \phi$. So, least number of elements in $A \cap B$ can be one
$\therefore$ Greatest possible value of $n(A \, \Delta \, B)$ is $7 + 6 - 2 \times 1 = 11$

156 **(c)**
Since $x \not< x$, therefore R is not reflexive
Also, $x < y$ does not imply that $y < x$
So R is not symmetric
Let $x \, R \, y$ and $y \, R \, z$. Then, $x < y$ and $y < z. \Rightarrow x < z$ i. e. $x \, R \, z$
Hence, R is transitive

157 **(b)**
Number of elements common to each set is $99 \times 99 = 99^2$.

158 **(b)**
Given, $A \cap X = B \cap X = \phi$
$\Rightarrow A$and$X$, B and X are disjoint sets.
Also, $A \cup X = B \cup X \Rightarrow A = B$

160 **(c)**
Clearly, R is reflexive and symmetric but it is not transitive

161 **(d)**
Clearly, R is an equivalence relation on A

162 **(b)**
Let $x \in A \cap B$. Then,
$x \in A$ and $x \in B$
$\Rightarrow x$ is a multiple of 4 and x is a multiple of 6
$\Rightarrow x$ is a multiple of 4 and 6 both
$\Rightarrow x$ is a multiple of 12

163 **(d)**
Any relation on A is a subset of $A \times A$ which contains 36 elements. Hence, maximum number of elements in a relation on A can be 36

164 **(d)**
Clearly, none of the statements is true

165 **(c)**
Now, $A - (A - B) = A - (A - B^C)$
$= A \cap (A \cap B^C)^C$
$= A \cap (A^C \cup B)$
$= (A \cap A^C) \cup (A \cap B)$
$= A \cap B$

166 **(a)**
We have,
$A \cap B = \phi$ and $A \subset C$
$\Rightarrow A \cap B = \phi$ and $A \cup C = C$
$\therefore n(A \cup B \cup C) = n(A \cup C \cup B) = n(C \cup B)$
$= n(B \cup C)$

167 **(a)**
For any $a \in N$, we have $a|a$
Therefore R is reflexive
R is not symmetric, because $a \, R \, b$ does not imply that $b \, R \, a$

168 **(d)**
We have,
$$\frac{n^3 + 5n^2 + 2}{n} = n^2 + 5n + \frac{2}{n}$$
$\therefore \frac{n^3+5n^2+2}{n}$ is an integer, if $\frac{2}{n}$ is an integer
$\Rightarrow n = \pm 1, \pm 2$
$\Rightarrow$ A consists of four elements viz. $-1, 1, -2, 2$

169 **(c)**
We have,
$c + e + f + g = 100$
$a + d + e + g = 70$
$b + d + f + g = 40$
$e + g = 30$
$g + f = 28$
$d + g = 23$



$g = 18$
$\therefore g = 18, f = 10, e = 12, d = 15, a = 35, b = 7, c = 60$

170 **(b)**
Since the value of a determinant charges by minus sign by interchanging any two rows or columns. Therefore, corresponding to every element Δ of B there is an element Δ' in C obtained by interchanging two adjacent rows (or columns) in Δ. It follows from this that $n(B) \leq n(C)$
Similarly, we have $n(C) \leq n(B)$
Hence, $n(B) = n(C)$

171 **(b)**
Obviously the relation is not reflexive and transitive but it is symmetric, because
$x^2 + y^2 = 1 \Rightarrow y^2 + x^2 = 1$

1)	b	2)	d	3)	c	4)	a	89)	d	90)	d	91)	d	92)	b
5)	a	6)	d	7)	a	8)	a	93)	c	94)	a	95)	c	96)	c
9)	d	10)	b	11)	d	12)	d	97)	b	98)	b	99)	d	100)	d
13)	d	14)	c	15)	a	16)	b	101)	c	102)	a	103)	b	104)	c
17)	d	18)	c	19)	c	20)	b	105)	b	106)	c	107)	a	108)	b
21)	c	22)	b	23)	d	24)	a	109)	b	110)	b	111)	c	112)	a
25)	b	26)	c	27)	c	28)	a	113)	c	114)	d	115)	c	116)	c
29)	d	30)	c	31)	d	32)	c	117)	d	118)	b	119)	c	120)	c
33)	a	34)	b	35)	b	36)	c	121)	d	122)	b	123)	d	124)	b
37)	b	38)	b	39)	b	40)	c	125)	b	126)	b	127)	d	128)	c
41)	d	42)	c	43)	d	44)	a	129)	a	130)	d	131)	b	132)	c
45)	a	46)	b	47)	c	48)	b	133)	c	134)	b	135)	b	136)	c
49)	b	50)	b	51)	d	52)	b	137)	b	138)	b	139)	a	140)	b
53)	c	54)	a	55)	d	56)	c	141)	b	142)	d	143)	d	144)	a
57)	b	58)	c	59)	a	60)	d	145)	c	146)	a	147)	b	148)	d
61)	c	62)	b	63)	b	64)	d	149)	a	150)	d	151)	a	152)	c
65)	c	66)	c	67)	b	68)	a	153)	a	154)	b	155)	a	156)	c
69)	d	70)	a	71)	c	72)	b	157)	b	158)	b	159)	a	160)	c
73)	b	74)	b	75)	c	76)	d	161)	d	162)	b	163)	d	164)	d
77)	a	78)	c	79)	b	80)	c	165)	c	166)	a	167)	a	168)	d
81)	c	82)	d	83)	b	84)	d	169)	c	170)	b	171)	b		
85)	d	86)	c	87)	c	88)	b								


CLASS 11
MATHEMATICS
QUESTION BANK

Dear Teachers and Students,

Join School of Educators' exclusive WhatsApp, Telegram, and Signal groups for FREE access to a vast range of educational resources designed to help you achieve 100/100 in exams! Separate groups for teachers and students are available, packed with valuable content to boost your performance.

Additionally, benefit from expert tips, practical advice, and study hacks designed to enhance performance in both CBSE exams and competitive entrance tests.

Don't miss out—join today and take the first step toward academic excellence!



JOIN SCHOOL OF EDUCATORS WHATSAPP GROUPS FOR FREE EDUCATIONAL RESOURCES

We are thrilled to introduce the School of Educators WhatsApp Group, a platform designed exclusively for educators to enhance your teaching & Learning experience and learning outcomes. Here are some of the key benefits you can expect from joining our group:

BENEFITS OF SOE WHATSAPP GROUPS

- **Abundance of Content:** Members gain access to an extensive repository of educational materials tailored to their class level. This includes various formats such as PDFs, Word files, PowerPoint presentations, lesson plans, worksheets, practical tips, viva questions, reference books, smart content, curriculum details, syllabus, marking schemes, exam patterns, and blueprints. This rich assortment of resources enhances teaching and learning experiences.

- **Immediate Doubt Resolution:** The group facilitates quick clarification of doubts. Members can seek assistance by sending messages, and experts promptly respond to queries. This real-time interaction fosters a supportive learning environment where educators and students can exchange knowledge and address concerns effectively.

- **Access to Previous Years' Question Papers and Topper Answers:** The group provides access to previous years' question papers (PYQ) and exemplary answer scripts of toppers. This resource is invaluable for exam preparation, allowing individuals to familiarize themselves with the exam format, gain insights into scoring techniques, and enhance their performance in assessments.

- **Free and Unlimited Resources:** Members enjoy the benefit of accessing an array of educational resources without any cost restrictions. Whether its study materials, teaching aids, or assessment tools, the group offers an abundance of resources tailored to individual needs. This accessibility ensures that educators and students have ample support in their academic endeavors without financial constraints.

- **Instant Access to Educational Content:** SOE WhatsApp groups are a platform where teachers can access a wide range of educational content instantly. This includes study materials, notes, sample papers, reference materials, and relevant links shared by group members and moderators.

- **Timely Updates and Reminders:** SOE WhatsApp groups serve as a source of timely updates and reminders about important dates, exam schedules, syllabus changes, and academic events. Teachers can stay informed and well-prepared for upcoming assessments and activities.

- **Interactive Learning Environment:** Teachers can engage in discussions, ask questions, and seek clarifications within the group, creating an interactive learning environment. This fosters collaboration, peer learning, and knowledge sharing among group members, enhancing understanding and retention of concepts.

- **Access to Expert Guidance:** SOE WhatsApp groups are moderated by subject matter experts, teachers, or experienced educators can benefit from their guidance, expertise, and insights on various academic topics, exam strategies, and study techniques.

Join the School of Educators WhatsApp Group today and unlock a world of resources, support, and collaboration to take your teaching to new heights. To join, simply click on the group links provided below or send a message to +91-95208-77777 expressing your interest.

Together, let's empower ourselves & Our Students and inspire the next generation of learners.

Best Regards,
Team
School of Educators

Join School of Educators WhatsApp Groups

You will get Pre- Board Papers PDF, Word file, PPT, Lesson Plan, Worksheet, practical tips and Viva questions, reference books, smart content, curriculum, syllabus, marking scheme, toppers answer scripts, revised exam pattern, revised syllabus, Blue Print etc. here . Join Your Subject / Class WhatsApp Group.

Kindergarten to Class XII (For Teachers Only)

Click Here to Join
Class 1

Click Here to Join
Class 2

Click Here to Join
Class 3

Click Here to Join
Class 4

Click Here to Join
Class 5

Click Here to Join
Class 6

Click Here to Join
Class 7

Click Here to Join
Class 8

Click Here to Join
Class 9

Click Here to Join
Class 10

Click Here to Join
Class 11 (Science)

Click Here to Join
Class 11 (Humanities)

Click Here to Join
Class 11 (Commerce)

Click Here to Join
Class 12 (Science)

Click Here to Join
Class 12 (Humanities)

Click Here to Join
Class 12 (Commerce)

Click Here to Join
Kindergarten

Subject Wise Secondary and Senior Secondary Groups (IX & X For Teachers Only)

Secondary Groups (IX & X)

Click Here to Join
SST

Click Here to Join
Mathematics

Click Here to Join
Science

Click Here to Join
English

Click Here to Join
Hindi-A

Click Here to Join
IT Code-402

Click Here to Join
Hindi-B

Click Here to Join
Artificial Intelligence

Senior Secondary Groups (XI & XII For Teachers Only)

Click Here to Join
Physics

Click Here to Join
Chemistry

Click Here to Join
English

Click Here to Join
Mathematics

Click Here to Join
Biology

Click Here to Join
Accountancy

Click Here to Join
Economics

Click Here to Join
BST

Click Here to Join
History

Click Here to Join
Geography

Click Here to Join
Sociology

Click Here to Join
Hindi Elective

Click Here to Join
Hindi Core

Click Here to Join
Home Science

Click Here to Join
Sanskrit

Click Here to Join
Psychology

Click Here to Join
Political Science

Click Here to Join
Painting

Click Here to Join
Vocal Music

Click Here to Join
Comp. Science

Click Here to Join
IP

Click Here to Join
Physical Education

Click Here to Join
APP. Mathematics

Click Here to Join
Legal Studies

Click Here to Join
Entrepreneurship

Click Here to Join
French

Click Here to Join
IT

Click Here to Join
Artificial Intelligence

Other Important Groups (For Teachers & Principal's)

Click Here to Join
Principal's Group

Click Here to Join
Teachers Jobs

Click Here to Join
IIT/NEET

Subject Wise Secondary and Senior Secondary Groups (IX & X For Students Only)

Secondary Groups (IX & X)

Click Here to Join
SST

Click Here to Join
Mathematics

Click Here to Join
Science

Click Here to Join
English

Click Here to Join
Hindi

Click Here to Join
IT Code

Click Here to Join
Artificial Intelligence

Senior Secondary Groups (XI & XII For Students Only)

Click Here to Join
Physics

Click Here to Join
Chemistry

Click Here to Join
English

Click Here to Join
Mathematics

Click Here to Join
Biology

Click Here to Join
Accountancy

Click Here to Join
Economics

Click Here to Join
BST

Click Here to Join
History

Click Here to Join
Geography

Click Here to Join
Sociology

Click Here to Join
Hindi Elective

Click Here to Join
Hindi Core

Click Here to Join
Home Science

Click Here to Join
Sanskrit

Click Here to Join
Psychology

Click Here to Join
Political Science

Click Here to Join
Painting

Click Here to Join
Music

Click Here to Join
Comp. Science

Click Here to Join
IP

Click Here to Join
Physical Education

Click Here to Join
APP. Mathematics

Click Here to Join
Legal Studies

Click Here to Join
Entrepreneurship

Click Here to Join
French

Click Here to Join
IT

Click Here to Join
AI

Click Here to Join
IIT/NEET

Click Here to Join
CUET

Groups Rules & Regulations:

To maximize the benefits of these WhatsApp groups, follow these guidelines:

1. Share your valuable resources with the group.
2. Help your fellow educators by answering their queries.
3. Watch and engage with shared videos in the group.
4. Distribute WhatsApp group resources among your students.
5. Encourage your colleagues to join these groups.

Additional notes:

1. Avoid posting messages between 9 PM and 7 AM.
2. After sharing resources with students, consider deleting outdated data if necessary.
3. It's a NO Nuisance groups, single nuisance and you will be removed.

- No introductions.
- No greetings or wish messages.
- No personal chats or messages.
- No spam. Or voice calls
- Share and seek learning resources only.

Please only share and request learning resources. For assistance, contact the helpline via WhatsApp: +91-95208-77777.

SKILL MODULES BEING OFFERED IN MIDDLE SCHOOL



Artificial Intelligence



Beauty & Wellness

Design Thinking & Innovation



Financial Literacy

Handicrafts



Information Technology

Marketing/Commercial Application



Mass Media - Being Media Literate



Travel & Tourism

Coding



Data Science (Class VIII only)



Augmented Reality / Virtual Reality



Digital Citizenship



Life Cycle of Medicine & Vaccine



Things you should know about keeping Medicines at home



What to do when Doctor is not around



Humanity & Covid-19



Blue Pottery



Pottery



Block Printing



Food



Food Preservation



Baking



Herbal Heritage



Khadi



Mask Making



Mass Media



Making of a Graphic Novel



Kashmiri Embroidery

Embroidery



Rockets



Satellites



Application of Satellites

Photography

SKILL SUBJECTS AT SECONDARY LEVEL (CLASSES IX – X)



Retail

Information Technology



Security



Automotive



Introduction To Financial Markets



Introduction To Tourism



Beauty & Wellness



Agriculture



Food Production



Front Office Operations



Banking & Insurance

Marketing & Sales



Health Care

Apparel



Multi Media



Multi Skill Foundation Course



Artificial Intelligence



Physical Activity Trainer

Data Science

Electronics & Hardware (NEW)

Foundation Skills For Sciences (Pharmaceutical & Biotechnology)(NEW)



Design Thinking & Innovation (NEW)

SKILL SUBJECTS AT SR. SEC. LEVEL (CLASSES XI – XII)



Retail



InformationTechnology



Web Application



Automotive

Financial Markets Management



Tourism



Beauty & Wellness



Agriculture



Food Production



Front Office Operations



Banking



Marketing

Health Care

Insurance



Horticulture



Typography & Comp. Application



Geospatial Technology



Electrical Technology

Electronic Technology



Multi-Media



[Taxation](#)

[Cost Accounting](#)



[Office Procedures & Practices](#)



[Shorthand (English)](#)



[Shorthand (Hindi)](#)



[Air-Conditioning & Refrigeration](#)



[Medical Diagnostics](#)

[Textile Design](#)



[Design](#)



[Salesmanship](#)



[Business Administration](#)



[Food Nutrition & Dietetics](#)



[Mass Media Studies](#)

[Library & Information Science](#)



[Fashion Studies](#)



[Applied Mathematics](#)



[Yoga](#)



[Early Childhood Care & Education](#)

[Artificial Intelligence](#)

[Data Science](#)



[Physical Activity Trainer(new)](#)



[Land Transportation Associate (NEW)](#)

[Electronics & Hardware (NEW)](#)

[Design Thinking & Innovation (NEW)](#)

Join School of Educators Signal Groups

You will get Pre- Board Papers PDF, Word file, PPT, Lesson Plan, Worksheet, practical tips and Viva questions, reference books, smart content, curriculum, syllabus, marking scheme, toppers answer scripts, revised exam pattern, revised syllabus, Blue Print etc. here . Join Your Subject / Class signal Group.

Kindergarten to Class XII

Click Here to Join
Class 1

Click Here to Join
Class 2

Click Here to Join
Class 3

Click Here to Join
Class 4

Click Here to Join
Class 5

Click Here to Join
Class 6

Click Here to Join
Class 7

Click Here to Join
Class 8

Click Here to Join
Class 9

Click Here to Join
Class 10

Click Here to Join
Class 11 (Science)

Click Here to Join
Class 11 (Humanities)

Click Here to Join
Class 11 (Commerce)

Click Here to Join
Class 12 (Science)

Click Here to Join
Class 12 (Humanities)

Click Here to Join
Class 12 (Commerce)

Click Here to Join
Kindergarten

Click Here to Join
Artifical intelligence

Subject Wise Secondary and Senior Secondary Groups IX & X

Secondary Groups (IX & X)

Click Here to Join
SST

Click Here to Join
Mathematics

Click Here to Join
Science

Click Here to Join
English

Click Here to Join
Hindi-A

Click Here to Join
Hindi-B

Click Here to Join
IT Code-402

Click Here to Join
IT

Click Here to Join
Artifical intelligence

Senior Secondary Groups XI & XII

Click Here to Join
Physics

Click Here to Join
Chemistry

Click Here to Join
English

Click Here to Join
Mathematics

Click Here to Join
Biology

Click Here to Join
Accountancy

Click Here to Join
Economics

Click Here to Join
BST

Click Here to Join
History

Click Here to Join
Geography

Click Here to Join
Sociology

Click Here to Join
Hindi Elective

Click Here to Join
Hindi Core

Click Here to Join
Home Science

Click Here to Join
Sanskrit

Click Here to Join
Psychology

Click Here to Join
Political Science

Click Here to Join
Painting

Click Here to Join
Vocal Music

Click Here to Join
Comp. Science

Click Here to Join
IP

Click Here to Join
Physical Education

Click Here to Join
APP. Mathematics

Click Here to Join
Legal Studies

Click Here to Join
Entrepreneurship

Click Here to Join
French

Click Here to Join
IIT/NEET

Click Here to Join
Artifical intelligence

Click Here to Join
CUET

Join School of Educators CBSE Telegram Groups

Join us on Telegram
Kindergarten

Join us on Telegram
All classes

Join us on Telegram
Class 1

Join us on Telegram
Class 2

Join us on Telegram
Class 3

Join us on Telegram
Class 4

Join us on Telegram
Class 5

Join us on Telegram
Class 6

Join us on Telegram
Class 7

Join us on Telegram
Class 8

Join us on Telegram
Class 9

Join us on Telegram
Class 10

Join us on Telegram
Class 11 (Sci)

Join us on Telegram
Class 11 (Com)

Join us on Telegram
Class 11 (Hum)

Join us on Telegram
Class 12 (Sci)

Join us on Telegram
Class 12 (Com)

Join us on Telegram
Class 12 (Hum)

Join us on Telegram
JEE/NEET

Join us on Telegram
CUET

Join us on Telegram
NDA, OLYMPIAD, NTSE

Join us on Telegram
Principal Professional Group

Join us on Telegram
Teachers Professional Group

Join us on Telegram
Project File Group

Join School of Educators ICSE Telegram Groups

Join us on Telegram
Kindergarten

Join us on Telegram
Class 1

Join us on Telegram
Class 2

Join us on Telegram
Class 3

Join us on Telegram
Class 4

Join us on Telegram
Class 5

Join us on Telegram
Class 6

Join us on Telegram
Class 7

Join us on Telegram
Class 8

Join us on Telegram
Class 9

Join us on Telegram
Class 10

Join us on Telegram
Class 11 (Sci)

Join us on Telegram
Class 11 (Com)

Join us on Telegram
Class 11 (Hum)

Join us on Telegram
Class 12 (Sci)

Join us on Telegram
Class 12 (Com)

Join us on Telegram
Class 12 (Hum)

ARTHAM
RESOURCE MATERIAL

SCHOOL OF EDUCATORS
SOE
Learn | Unlearn | Relearn